TOSHIBA




HYGIENE & CONVENIENCE MATTERS.



HI-TEMP Hygiene Cycle

Maximum 72°C* high temperature washing, promotes optimum cleaning results for the heaviest soiled dishware and reduces 99.99% of bacteria.




Effortless Eco-dishwashing

Dishes are beautifully cleaned with less efforts and water consumption.



Flexible Rack System, Infinite Loading Flexibilities

Allow you stack more categories of tableware, glassware, utensils and even cookware, and make loading and unloading so smooth.





Anti-bacterial*3 Filter Reduces 99.9% of Bacteria

Our filter, employed anti-bacterial material, costantly inhibits microorganism buildup inside the tub, ensuring a high level of health protection by reducing 99.9% of bacteria.



Soil-sensing Auto Cycle

Intelligently manipulates electricity and wate consumption, by detecting and evaluating the type and the level of soiling, to deliver fresh and clean tableware with lower cost.



Smart Power-off Memory

Power-off Memory function can remember the unfinished wash cycle, when there is a sudden outage, and continue the washing process when power is back on, without a need to operate it again.




Turbo Heat Drying* **

Equipped with fan-assist Turbo Heat Drying technology to deliver a constant airflow circulating throughout the tub during the drying process, our dishwasher can remove water droplets and exhaust the moisture, perfectly drying even for plastics.




720° Crosswash*

Equipped with two strong spray arms, to provide kneading forces, by simultaneous forward and reverse rotations. As such, the CROSSWASH Spray Arm is capable to flush all tableware and utensils without a dead angle, achieving an excellent cleaning result.




Smart Dishwashing, Smart Life* ** Close At Hand






1-24 Hours Delay StartDelay the start of your dishwasher simply on App



UV-LED Light*

UV-LED, installed in the sump, maintains a decent anti-bacterial effect during drying period.



72 Hours Freshness, Hot Air For Ready-To-Serve Dishes*

Whether it's in damp weather or a long time after your dishes are washed, always deliver you fresh & warm dishware to serve ready-to-eat dishes.



Dual BLDC Motor*











DW-15F6(G)-MY* **T**







Anti-bacterial filter



Soil-sensing auto cycle



Hi-temp hygiene cycle



LED panel



Auto Wash



Aqua Stop



Self-cleaning cycle



Delay start

Product Introduction (with English subtitle)





B. Melayu

华语

DW-14F2(BS)-MY



Hi-temp hygiene cycle





Turbo Drying



UV-LED Light



Dual Display



44dB(A)









DW-14F1(S)-MY



Hi-temp hygiene cycle



Anti-bacterial filter



Soil-sensing auto cycle



Delay start

Overflow Float Switch



LED panel



Half Load



Model	DW-15F6(G)-MY	DW-14F2(BS)-MY	DW-14F1(S)-MY
Family Size	12 - 14	12 - 14	12 - 14
Capacity	15 Place Settings	14 Place Settings	14 Place Settings
Water Consumption	11L	11L	11L
Control Type	Touch Control	Touch Control	Electronic button Control
Size (WxDxH)(mm)	600 × 600 × 805	598 x 600 x 845	598 x 600 x 845
Energy Level	A++	A++	A++
Noise Level	44dB	44dB	49dB
Installation type	Freestanding	Freestanding	Freestanding
Program	8 (Auto Daily, Intensive, Hygiene, Eco, Glass, 90min, Rapid, Soak)	8 (Auto Daily, Intensive, Hygiene, Eco, Glass, 90min, Rapid, Soak)	6 (Auto Daily, Hygiene, Eco, Glass, 90min, Rapid)
Option	4 (Sanitization, Extra Drying, Power Wash, Express)	4 (Sanitization, Extra Drying, Power Wash, Express)	2 (Extra Drying, Power Wash)
Start delay	24h	24h	24h
Others	Dual Zone, UV light, Mini dispenser, Adjustable Basket, Sliding Cutlery Tray, Anti Bacteria Filter	Dual Zone, UV light, Mini dispenser, Adjustable Basket, Sliding Cutlery Tray, Anti Bacteria Filter	2 level tray, Half load, Mini dispenser, Adjustable Basket, Sliding Cutlery Tray Anti Bacteria Filter
Warranty	2 Years	2 Years	2 Years





DW-08T3(S)-MY**



Turbo heat drying



Anti-bacterial filter



Soil-sensing auto cycle



Hi-temp hygiene cycle

LED

Auto Wash



TSmartLife



Self-cleaning cycle

panel



Delay start

Product Introduction (with English subtitle)





B. Melayu

华语





DW-08T1(S)-MY



Hi-temp hygiene cycle



Anti-bacterial filter



Self-cleaning cycle



Delay start



LED panel



18+ Categories





Overflow Float Switch

PRODUCT SPECIFICATIONS

Model	DW-08T3(S)-MY	DW-08T1(S)-MY
Family Size	8-12	8-12
Capacity 8 Place Settings		8 Place Settings
Water Consumption	8L	8L
Control Type Electronic button Control		Electronic button Control
Size (WxDxH)(mm)	550 × 500 × 595	550 x 500 x 595
Energy Level	A+	A+
Noise Level	49dB	49dB
Installation type	Table top	Table top
Program 7 (Auto, Hygiene, Eco, Glass, 90min, Rapid, Self-cleaning)		7 (Hygiene, Normal, Eco, Glass, 90min, Rapid, Self-cleaning)
Option	-	-
Start delay	24h	24h
Ohters	Anti Bacteria Filter	Anti Bacteria Filter
Warranty	2 Years	2 Years

#Details Matter

toshiba-lifestyle.com/my

Customer line: **1-300-88-7899**







Mobsito

Catalogue

Product Registration

Toshiba Sales And Services Sdn. Bhd. (Company No: 32538-D)

Ground Floor & Level 5, Bangunan Palm Grove II, No: 12, Jalan Glenmarie (Persiaran Kerjaya) Section U1, 40150 Shah Alam, Malaysia.

- Selangor tel: 03-5565 8000 fax: 03-5565 8080 Service Centre: 1-300-88-7899 fax: 03-5565 8080 Penang 04-506 2933 / 04-502 2933 Perak 05-3214 099
- Johor 07-3536 988 / 07-3510 479 Melaka 06-2829 682 Pahang 09-505 4482 Kelantan 09-744 3461 Sabah 088-437 787 Sarawak 082-503 670

📝 💿 🔼 👌 Toshiba Lifestyle Malaysia

- * Product size, product weight, and related specifications are theoretical values only, actual measurements between individual products may vary.
- $\ensuremath{^{*}}$ All specifications are subject to the actual product and change without prior notice.
- * Color tone of actual products may differ from those featured in this catalogue.
- * Printed as in May 2024

Website: