


# **COMFORT DRINK**MATTERS.



#### **5-STAGE ULTRA FILTRATION**

Able to remove impurity above 0.005µm including bacteria, sediment, colloid, rust, dust, organic substance. Adsorb residential chlorine, unusual odor and color, uplifting the taste of drinking water.









Ambient Water
Get hydrated any
time or after sport at
room temperature
water with is gentler
to the body



Hot Water
Have break to enjoy
a cup of coffee or tea
brewed by hot water



### **3 TEMPERATURES WATER SELECTION**

Instantly dispensing drinking water with suitable water temperature.

### CONNECT THE WATER PURIFIER WITH YOUR SMARTPHONE Access more functions through TSmartlife more useful when connected with

Access more functions through TS mart Life, more useful when connected with your phone.



**COMPACT & MINIMALIST DESIGN**The product is only 260mm wide that can save

most of your countertop.



### ONE-PRESS TO START HEATING IMMEDIATELY

Press to heat the water immediately to extra hot temperature, get extra hot water to brew or cook.



### **UNLIMITED WATER SUPPLY**

Connected to water supply directly and with the water storage, offering larger volume of purified water anytime for different usage or for more people.



#### **KID CARE**

Ambient water dispense button specially designed for kids of shorter height and equipped the child safety lock for hot water dispenseing.



### 99.99% BACTERIA INHIBITION RATE\* THANKS TO THE UV-C LED LIGHT

UV light is placed on the top of tank to cover the whole water tank.



### 75°C HIGH-TEMP WATERWAY STERILIZATION

One-press starts internal sterilization with 75°C hot water rinse, flush way sediment, bacteria, odor in the waterway. It can effectively 100%\* inhibition the bacteria and keep the internal environment clean in hassle-free.

\* Test institute: GUANG ZHOU INSTITUTE OF MICROBIOLOGY GROUP CO.,LTD. Test No.: SZ20242668E



**HUMANIZED & EASY DISPENSE** 

Ergonomic design for separation of straight forward working status display area and touch control operation area, easy for sight and dispense control.



### TIMELY NOTIFICATION OF FILTER REPLACEMENT

Clearly access the information relevant to filters' lifespan and timely remind you to replace the filter.



### **WATER USAGE REPORT**

Check water usage report on TSmartLife, know your water intake in long term. The personal report helps to cultivate water drinking habit and form your healthy hydration.



### **DISPENSE VOLUME SETTING**

One-press and dispense the exact volume you want without the concern of overflow.



### **WATER TEMPERATURE SETTING**

Setting the cold water temperature (5-7-12°C and hot water temperature( 70-80-90 °C ). Easy to get the perfect drink.



#### **SELF SERVICE**

Once installed, you can comfortably enjoy cold, ambient or hot drinks at home with intuitive control and with easy filter replacement and 75°C high-temp self-service water path sterilization. Drink with peace and use it at ease.



#### **EASY FILTER CHANGE**

Replace the filter with a twist. Simply can be done at home on your own.



#### **DETACHABLE DRIP TRAY**

The drip tray can be attached and removed easily for cleaning.



TWP-W2255TMY(M)



TWP-W2255TMY(K)



TWP-W2255TMY(W)

General	Rated Voltage/Frequency	220~240V 50~60Hz
information	Power consumption	650W
Filter information	Filter Stages	2 stages for optional
	Filter combination	PAC+ UF&CB
	Filter lifetime	PAC: 1800L UF&CB: 1800L
	Ambient Capacity	2L
	Filtration Flow Rate	2L/min
Heating performance	Hot water tank capacity	1L
	Heating capacity	4L/h
	Hot water temperature	≥85°C; Reheat to 95°C

Cooling performance	Cold tank capacity	2L
	Cooling Method	Compressor cooling
	Cooling capacity	2L/h
	Cold water temperature	≤10°C
Self-cleaning	Methods	75°C Hot water sterilization
		UV-C LED
Certificate	Appliance Certificates	SIRIM, HALAL
Dimension	Product Dimensions (mm)	260x460x430mm

## #Details**Matter**

toshiba-lifestyle.com/my Website:

Customer line: **1-300-88-7899** 

**Product Registration** 





Toshiba Sales And Services Sdn. Bhd. (Company No: 32538-D)

Ground Floor & Level 5, Bangunan Palm Grove II, No: 12, Jalan Glenmarie (Persiaran Kerjaya) Section U1, 40150 Shah Alam, Malaysia.

- Selangor tel: 03-5565 8000 fax: 03-5565 8080 Service Centre: 1-300-88-7899 fax: 03-5565 8080 Penang 04-506 2933 / 04-502 2933 Perak 05-3214 099
- Johor 07-3536 988 / 07-3510 479 Melaka 06-2829 682 Pahang 09-505 4482 Kelantan 09-744 3461 Sabah 088-437 787 Sarawak 082-503 670



- \* Product size, product weight, and related specifications are theoretical values only, actual measurements between individual products may vary.
- \* All specifications are subject to the actual product and change without prior notice.
- $\ensuremath{^{*}}$  Color tone of actual products may differ from those featured in this catalogue. \* Printed as in Aug 2024